



ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No.	: ECL/FA/2509251007	Issue Date: 01/10/2025
Issued To	: M/s. Neutrawell Healthcare Private Limited Khasra No 323, Central Hoptown, Industrial Area, Selaqui, Dehradun-248011 (Uttarakhand)	
Sample ID	: ECL/FA/007	
Name of the Product	: MUSCLE MILITARY DYNAMITE 100% WHEY PROTEIN BLEND IRISH CHOCOLATE 1KG	
Manufacturer By	: M/s. Neutrawell Healthcare Private Limited	
Supply By	: M/s. Neutrawell Healthcare Private Limited	
Batch No.	: MMIC-2503	Batch Size : NS
Mfg. Date	: 12/08/2025	Exp. Date : 12/07/2027
Mfg. Lic. No.	: NS	Sample Qty. : 500.0 GM
Sampling Receipt Mode	: NS	Receiving Date : 25/09/2025
AR No:	: NS	Sample Condition : Good
Analysis Started On	: 25/09/2025	Analysis Completed On : 01/10/2025

RESULTS OF ANALYSIS

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Chemical Analysis:				
	Energy	Kcal/100g	385.62	381.82	ECL-FC-STP-42, Issue No,01,Issue Date ,05/04/2024
	Protein	g/100g	73.21	72.73	FSSAI Manual of Methods of Analysis of Foods- Milk and Milk Products 2022
	Total Fat	g/100g	3.78	3.64	FSSAI Manual of Methods of Analysis of Foods- Milk and Milk Products 2022
	Saturated Fat	g/100g	2.20	2.12	ECL-FC-STP-43, Issue No,01,Issue Date ,05/04/2024
	Trans Fat	g/100g	BLQ(LOQ-0.1)	-	ECL-FC-STP-43, Issue No,01,Issue Date ,05/04/2024
	MUFA	g/100g	0.96	0.91	ECL-FC-STP-43, Issue No,01,Issue Date ,05/04/2024
	PUFA	g/100g	0.32	0.24	ECL-FC-STP-43, Issue No,01,Issue Date ,05/04/2024
	Carbohydrate	g/100g	14.69	14.55	IS 1656:2018
	Total Sugar	g/100g	8.16	8.00	IS 2802:2021
	Added Sugar	g/100g	BLQ(LOQ-1.0)	-	IS 2802:2021
	Cholesterol	mg/100g	168.15	167.27	ECL-FC-STP-44, Issue No,01,Issue Date ,05/04/2024
2.	Minerals:				
	Sodium (as Na)	mg/100g	259.62	257.58	ECL-FC-STP-30, Issue No,01,Issue Date ,05/04/2024
	Potassium (as K)	mg/100g	213.64	212.00	ECL-FC-STP-30, Issue No,01,Issue Date ,05/04/2024
3.	Heavy Metals:				

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 1/10

S- 2&3,Phase-II, RIICO Ind. Area, Bhiwadi, Distt- Alwar (Rajasthan)

Mob. No.: 9414012627, 9314012627, Food and Pharma Dept.: 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC147852500000614F

Report No: ECL/FA/2509251007

SI. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Lead (as Pb)	mg/kg	BLQ(LOQ-0.05)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Copper (as Cu)	mg/kg	BLQ(LOQ-0.05)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Arsenic (as As)	mg/kg	BLQ(LOQ-0.05)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Cadmium (as Cd)	mg/kg	BLQ(LOQ-0.05)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Tin (Sn)	mg/kg	BLQ(LOQ-0.2)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Mercury (as Hg)	mg/kg	BLQ(LOQ-0.02)	-	ECL-FC-STP-25, Issue No,01,Issue Date ,05/04/2024
	Methyl Mercury Calculated as Element	mg/kg	BLQ(LOQ-0.2)	-	ECL-FC-STP-16, Issue No,01,Issue Date ,05/04/2024
4.	Toxins:				
	Total Aflatoxins (B1,B2,G1,G2)	µg/kg	BLQ(LOQ-0.5)	-	ECL-FC-STP-10, Issue No,01,Issue Date ,05/04/2024
	Aflatoxin B1	µg/kg	BLQ(LOQ-0.5)	-	ECL-FC-STP-10, Issue No,01,Issue Date ,05/04/2024
	Melamine	mg/kg	BLQ(LOQ-0.05)	-	ECL-FC-STP-16, Issue No,01,Issue Date ,05/04/2024
5.	Pesticides Residues:				
	3-Hydroxy Carbofuran	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Acephate	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Acetamiprid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Alachlor	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Aldrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Alpha Cypermethrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Ametoctradin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Ametyrn	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Anilophos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Atrazine	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Azoxystrobin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Benfuracarb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bensulfuron-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 2/10

S- 2&3,Phase-II, BICO Ind. Area, Bhiwadi, Distt:- Alwar (Rajasthan)

Mob.No.: 9414012627, 9314012627, Food and Pharma Dept:- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No: ECL/FA/2509251007

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Chlormequat chloride	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-19, Issue No,01,Issue Date ,05/04/2024
	Chlorpropham	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Chlorpyrifos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Chromafenozide	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cinmethylin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cis-Chlordane	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cis-Permethrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Clodinafop-Propargyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Clomazone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Clothianidin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyantraniliprole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyazofamid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyfluthrin I	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyfluthrin II	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyfluthrin III	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cyfluthrin IV	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Cymoxanil	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Deltamethrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Diazinon	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Diclofop	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Dicofol (sum of o,p' and p,p' isomers)	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Dieldrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Difenconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Diflubenzuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Dimethoate	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 3/10

S- 2&3,Phase-II, RIICO Ind. Area, Bhiwadi, Distt:- Alwar (Rajasthan)

Mob.No.: 9814012627, 9314012627, Food and Pharma Dept:- 7412028912, 7412028915

Email: anugam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No: ECL/FA/2509251007

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Dinotefuran	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Diuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Edifenphos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Endosulfan Beta Isomer	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Epoxiconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Ethephon	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Ethofenprox	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Ethoxysulfuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Etoxazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenamidone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenarimol	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-19, Issue No,01,Issue Date ,05/04/2024
	Fenazaquin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenitrothion	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenobucarb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenpropathrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenvalerate I	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fenvalerate II	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Flonicamid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Flufenacet	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fluopicolide	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fluopyram	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Flupyradifurone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Flusilazol	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fluvalinate I	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fluvalinate II	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3. To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 4/10

S- 2&3,Phase-II, RIICO Ind. Area, Bhiwadi, Distt- Alwar (Rajasthan)

Mob.No. : 9414012627, 9314012627, Food and Pharma Dept- 7412028912, 7412028915

Email: anupama@pollutionconsultants.com, Email (Food and Pharma)- envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No: ECL/FA/2509251007

SI. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Fluxapyroxad	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Forchlorfenuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Halosulfuron-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Haloxyp r methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Hexaconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Hexazinone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Hexythiazox	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Imazethapyr	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Imidacloprid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Iodosulfuron-Methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Iprobenfos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Iprodione	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Isoprothiolane	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Isoproturon	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Kresoxim methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Lambda Cyhalothrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Linuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Malaoxan	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Malathion	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Mandipropamid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Mepiquat chloride	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-19, Issue No,01,Issue Date ,05/04/2024
	Mesosulfuron-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metalaxyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metalaxyl-M	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Methabenzthiazuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To whom the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No-5/10

S- 283,Phase-II, RICO Ind. Area, Bhiwadi, Dist- Alwar (Rajasthan)

Mob.No : 9414012627, 9314012627, Food and Pharma Dept- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC147852500000614F

Report No: ECL/FA/2509251007

SI. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Methomyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metolachlor	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metrafenone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metribuzin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Metsulfuron methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Monocrotophos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Myclobutanil	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Oxadiargyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Oxadiazone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Oxydemeton metyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	O,P DDD	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	O,P DDE	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	O,P DDT	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	P,P DDD	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	P,P DDE	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	P,P DDT	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Paclobutrazol	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Parathion Methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Penconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Pencycuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Pendimethalin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Penoxsulam	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Phenthoate	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Phorate Sulfone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Phorate Sulphoxide	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the Laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No-6/10

S- 283,Phase-II, RICO Ind. Area, Bhiwadi, Distt- Alwar (Rajasthan)

Mob.No. : 9414012627, 9314012627, Food and Pharma Dept- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No : ECL/FA/2509251007

SI. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Phosalone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Picoxystrobin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pirimiphos-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Profenofos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pretilachlor	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Propanil	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Propaquizafop	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Propargite	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Propiconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Propineb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01, Issue Date ,05/04/2024
	Pymetrozine	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pyraclostrobin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pyridalyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pyriproxyfen	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Pyriothiobac sodium	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Quinalphos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Quizalfop p tefuryl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Quizalofop-Ethyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Sulfentrazone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Sulfosulfuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Sulfoxaflor	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Tebufoenozide	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Tebuconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Tetraconazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024
	Thiacloprid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01, Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No-7/10

S- 2&3, Phase-II, RIICO Ind. Area, Bhiwadi, Distt- Alwar (Rajasthan)

Mob.No.: 9414012627, 9314012627, Food and Pharma Dept- 7412028912, 7412028915

Email- anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC147852500000614F

					Report No: ECL/FA/2509251007
Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Thiamethoxam	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Thiodicarb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Thiophanate-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Tolfenpyrad	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Trans-Chlordane	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Trans-Permethrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Triadimefon	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Triallate	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Triasulfuron	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Triazophos	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Trichlorfon	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Tricyclazole	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Trifloxystrobin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Trifluralin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Paraquat dichloride (Determined as Paraquatcations)	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-19, Issue No,01,Issue Date ,05/04/2024
	Dithiocarbamates	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01,Issue Date ,05/04/2024
	Ethylene bis- dithiocarbamates	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01,Issue Date ,05/04/2024
	Mancozeb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01,Issue Date ,05/04/2024
	Metiram as CS2	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01,Issue Date ,05/04/2024
	Zineb as CS2	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-20, Issue No,01,Issue Date ,05/04/2024
	2,4-D	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-19, Issue No,01,Issue Date ,05/04/2024
	Acifluorfen	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Alpha naphthyl Acetic Acid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Dinocap	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 8/10

S: 283,Phase-II, RIICO Ind. Area, Bhiwadi, Distt:- Alwar (Rajasthan)

Mob.No.: 9414012627, 9314012627, Food and Pharma Dept:- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No: ECL/FA/2509251007

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
	Fipronil	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Fomesafen	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Imazamox	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Methyl Chlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Sodium 4 Nitrophenolate	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bentazone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Benfuracarb	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bensulfuron-methyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bentazone	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Beta-HCH	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Gamma-HCH	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bifenthrin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Bitertanol	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Boscalid	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Buprofezin	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Butachlor	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Carbaryl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Carbendazim	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Carbofuran	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Carfentrazone-ethyl	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Carpropamide	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024
	Chlorfenapyr	mg/kg	BLQ(LOQ-0.01)	-	ECL-FC-STP-18, Issue No,01,Issue Date ,05/04/2024

Checked By

Authorized Signatory



Page No 9/10

Terms & Conditions

1.The results reported relate only to the samples tested, in case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

S- 2&3,Phase-II, RIICO Ind. Area, Bhiwadi, Distt.- Alwar (Rajasthan)

Mob.No./ 9414012627, 9314012627, Food and Pharma Dept. 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report



TC-14785

ULR : TC1478525000000614F

Report No: ECL/FA/2509251007

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
6.	Microbiological Parameter:				
	Aerobic Plate Count	cfu/g	765	Max. 1,00,000	IS 5402 (Part-1): 2021
	Yeast and Mould Count	cfu/g	<10	Max. 1,000	IS 5403: 1999
	Salmonella sp.	/25g	Absent	Absent	IS 5887(Part-3/sec-1): 2020

Abbreviations: BLQ-Below Limit of Quantification, LOQ-Limit of Quantification, NS-Not Specified.

*****END OF THE TEST REPORT*****



Checked By



Page No. 10/10

Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

S- 2&3,Phase-II, RIICO Ind. Area, Bhiwadi, Distt- Alwar (Rajasthan)

Mob.No.: 9414012627, 9314012627, Food and Pharma Dept:- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com





ENVIRO CALIBRATION LAB PVT. LTD.

.....FORMERLY KNOWNAS ENVIRO LAB

Govt. Approved Laboratory|ISO 9001:2015|ISO14001:2015| OHSMS 45001:2018 Certified Laboratory

Test Report

Issue Date: 01/10/2025

Issue Date: 01/10/2025

Report No.	:	ECL/FA/2509251007			
Issued To	:	M/s. Neutrawell Healthcare Private Limited Khasra No 323, Central Hoptown, Industrial Area, Selaqui, Dehradun-248011 (Uttarakhand)			
Sample ID	:	ECL/FA/007			
Name of the Product	:	MUSCLE MILITARY DYNAMITE 100% WHEY PROTEIN BLEND IRISH CHOCOLATE 1KG			
Manufacturer By	:	M/s. Neutrawell Healthcare Private Limited			
Supply By	:	M/s. Neutrawell Healthcare Private Limited			
Batch No.	:	MMIC-2503	Batch Size	:	NS
Mfg. Date	:	12/08/2025	Exp. Date	:	12/07/2027
Mfg. Lic. No.	:	NS	Sample Qty.	:	500.0 GM
Sampling Receipt Mode	:	NS	Receiving Date	:	25/09/2025
AR No:	:	NS	Sample Condition	:	Good
Analysis Started On	:	25/09/2025	Analysis Completed On	:	01/10/2025

RESULTS OF ANALYSIS

Sl. No.	TEST PARAMETER	UNIT	RESULT	LIMIT	TEST METHOD
1.	Microbiological Parameter:				
	Coliform	cfu/g	<10	Max.100	IS 5401 (Part-1): 2012
	Bacillus cereus	cfu/g	<10	Max.100	IS 5887 (Part-6): 2012
	S. aureus (Coagulase positive)	cfu/g	<10	Max.100	IS 5887 (Part 8 /Sec-1): 2023
	Enterobacteriaceae count	cfu/g	<10	Max. 1,000	ISO 21528-2: 2017
	Listeria monocytogenes	/25g	Absent	Absent	IS 14988 (Part-1): 2020
	Sulfite-reducing bacteria	cfu/g	<10	Max.100	ISO 15213-1: 2023
	Vibrio cholerae	per 25g	Absent	Absent	IS 5887 (Part-5): 1976

Abbreviations: NS-Not Specified.

*****END OF THE TEST REPORT*****

Checked By



Terms & Conditions

1.The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received. 2.This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory. 3.To confirm the authenticity of this certificate of analysis, please contact us through email. 4.Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period. 5.The report no. with Suffix A-Amended Report. 6.This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory. 7.Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or the misuse of the test report.

Page No. 1/1

S- 2&3,Phase-II, BHICO Ind. Area, Bhiwadi, Dist.- Alwar (Rajasthan)

Mob.No.: 9414012627, 9314012627, Food and Pharma Dept- 7412028912, 7412028915

Email: anupam@pollutionconsultants.com, Email (Food and Pharma) - envirolabfood@gmail.com, envirolabpharma@gmail.com

Website: www.pollutionconsultants.com

